

ACCUPLACER Information for Apprenticeship students:

- Student can do Accuplacer prep before taking exam (see TLC: www.fvtc.edu/TLC)
- Industrial Trades do **NOT** have score requirements; requirements determined by individual employer

Additional Information:

- Electricity (Sole Source) through Fox Valley Electrical Contractors' Association (FVECA) Local 413 is NOT considered an apprenticeship program
- Students cannot use high school GPA to satisfy testing requirement
- Direct students to respective apprenticeship sites for additional information (i.e. ABC, local 400)

**ABC of WI Apprenticeship Training:
Classic Accuplacer Scores to Next-
Generation Accuplacer Scores
(Minimum Scores)**

Trade	Classic Reading	Classic Arithmetic	Classic Algebra	Next-Gen Reading	Next-Gen Arithmetic	Next-Gen Quantitative Reasoning, Algebra, & Statistics	ACT Reading	ACT Math
Carpentry	66	56	----	239	237	----	15	15
Construction Craft Laborer	55	35	----	226	220	----	15	14
Electrical	66	56	----	239	237	----	15	15
Heat and Frost Insulating	40	55	----	209	237	----	12	15
HVAC	66	66	33	239	250	216	15	16
Plumbing	66	66	33	239	237	216	16	15
Sheet Metal	66	66	33	239	250	216	15	16
Sprinkler Fitting	66	56	----	239	237	----	15	15
Steamfitting	66	56	----	239	237	----	15	15

OMS (Organizational Management Services) Local 400 Apprenticeship Training-Classic Accuplacer Scores to Next-Generation Accuplacer Scores (Minimum Scores)

Trade	Classic Reading	Classic Arithmetic	Classic Algebra	Next-Gen Reading	Next-Gen Arithmetic	Next-Gen Quantitative Reasoning, Algebra, and Statistics	ACT
Plumber	66	66	33	244	237	235	R=16 & M=15
Steamfitter	66	66	33	244	250	235	R=17 & M=17
Pipe Fabricator	66	66	33	244	250	235	R=17 & M=17